




Peers for Progress 2012 Highlights

Global Outreach, Sustained Impacts

Advance Evidence Base for Peer Support

Peers for Progress and Grantees Featured in Health Affairs



Four Peers for Progress (PFP) evaluation grantees were featured in a paper describing the feasibility and effectiveness of peer support across varied cultures and health systems (Cameroon, South Africa, Uganda, and Thailand). The four key functions of peer support provides a framework for standardizing peer support programs and providing adaptability to local health systems. They are:

- Assistance in daily management
- Social and emotional support
- Linkage to clinical care and community resources
- Ongoing availability of support

Fisher, E.B., Boothroyd, R.I., Coufal, M.M., Baumann, L.C., Mbanya, J.C., Rotheram-Borus, M.J., Sanguanprasit, B., and Tanasugarn, C. (2012). Peer Support for Self-Management of Diabetes Improved Outcomes in International Settings. *Health Affairs*, 31(1):130-9.

Validated Success of Peer Support in Diabetes Management

Papers reporting on peer support interventions in diabetes management were identified through PubMed using a variety of terms for peer supporters – “community health workers,” “*promotores de salud*,” “lay health advisors,” “health coaches” etc. The search covered papers published between January, 2000 and July, 2012. Among 20 studies identified, 19 showed statistically significant evidence of benefits of peer support, either through changes within groups receiving peer support interventions (1-11, See Page 4 for references) or in comparisons with control groups (12-19). The one paper that did not provide evidence for peer support, that of Smith et al. in the *British Medical Journal* (20), was discussed by us at the time of its publication in 2011, [Caution in generalizing from null effects of a diabetes peer support intervention](#).

Fourteen of the 20 papers provided pre- and post-intervention measures of Hemoglobin A1c (HbA1c) as a measure of glucose control (1-8; 11; 13; 15; 17; 18; 20). Using the individual publication as the unit of analysis, the average HbA1c declined from 8.63% prior to intervention to 7.77% after intervention ($p = 0.001$). In diabetes circles, a reduction of HbA1c by half a percentage point, e.g., from 8.6% to 8.1%, is generally considered clinically meaningful. The average reduction across these 14 studies of 0.86 points is thus very striking and adds considerably to the evidence for the benefits of peer support in diabetes management.

>> See Page 5 for an expanded list of publications and presentations from Peers for Progress and grantees.

Provide Tools and Models for Quality Improvement

Improved Peers for Progress Website

This summer, the PFP website (www.peersforprogress.org) was overhauled to streamline content, improve user-friendliness, and increase functionality. Users can easily find reliable and up-to-date research, implementation materials, evaluation tools, and funding opportunities. Our blog is a great way to keep up with the latest issues and trends in peer support.

Here are some of the blog topics we've covered this year:

[Peer Supporters and Centers for Medicare and Medicare Services Funding](#)

Three Part Series on Peer Support and Community Health Workers

- [Community Health Worker Roles](#)
- [Community Health Worker Licensing and Training](#)
- [Community Health Workers and Cost Savings](#)

[Peer Support Community Health Workers in the Community](#)

[Mobile Phones and the Sustainability of Ongoing Peer Support](#)

Peer Supporter Training Resources Series

- [Training Peers to Deliver a Church-Based Diabetes Prevention Program](#)

Student Blog Series

- [A Summer of Peer Support in Thailand](#)
- [Support that Gives New Life](#)

[The Affordable Care Act and Peer Support](#)

Cultural Adaptation Series

- [Collaborating on Peer Support in China](#)

Looking at a Systematic Review

- [Part 1: How Much Peer Support?](#)

[Documenting Community Health Worker Activities](#)

[Integrating Peer Supporters into the Workforce](#)

[Two White House Events Highlight NCLR's Role in Making Latinos Healthier](#)

Describing the Delivery of Peer Support

- [Training and Ongoing Support for Peer Supporters](#)
- [Example Resources for Participants](#)



Facilitate Networks and Networking for Knowledge Sharing

Diabetes Initiatives and Collaborations

PfP is collaborating with Alivio Medical Center, TransformED, and the National Council of La Raza (NCLR) as part of the Bristol Myers Squibb Foundation's *Together on Diabetes* Initiative. This project will demonstrate and evaluate the ability of a comprehensive approach to diabetes management based in a primary care patient-centered medical home (PCMH) and emphasizing peer support and community outreach activities to improve health outcomes of Latinos.

>> [Learn more about this project](#)

Furthermore, the National Peer Support Collaborative Learning Network (NPSCLN) was created to enhance existing peer support networks, facilitate dialogue, and accelerate the dissemination of best practices. Co-led by PfP and NCLR, the NPSCLN will conduct a webinar series on peer support and organize work groups to collaborate on topics of interest.

>> [Learn more about the NPSCLN](#)

Advocate for Peer Support as a Strategy for Health and Healthcare around the World

Advocacy Led to Changes in the Revised National Standards for Diabetes Self-Management Education and Support

Every five years, the American Association of Diabetes Educators (AADE) and the American Diabetes Association (ADA) convenes a Task Force of diverse stakeholders and experts in the diabetes education community to review and revise the National Standards for Diabetes Self-Management Education, now the National Standards for Diabetes Self-Management Education and Support. The Task Force responsible for this edition of the Standards included Edwin Fisher, Global Director of Peers for Progress.

Upon reviewing the evidence from the past five years, the Task Force decided to change the title of the Standards to include Support. This name change was intended to codify the significance of ongoing support for people with diabetes. Ongoing support is provided by a multitude of sources that may include primary care providers, diabetes educators, and peer supporters such as community health workers.

Haas, L., Maryniuk, M., Beck, J., Cox, C.E., Duker, P. et al. (2012). National Standards for Diabetes Self-Management Education and Support. *Diabetes Care*, 35(11):2393-2401.

>> [Read our interview](#) with Donna Tomky, member of the National Standards Task Force.

Promoted Peer Support for Diabetes in China during World Diabetes Day



PfP was one of the key participants in World Diabetes Day Media Event (November 14) at the National Convention Center in Beijing, China. PfP presented on the advancement of peer support for diabetes self-management in China, along with colleagues from the Beijing Health Bureau, the Diabetes Society of the Chinese Medical Association, and several major hospitals in Beijing.

>> [Watch the PfP Video](#) for World Diabetes Day in China

Provide Consultation and Training for Program Development and Adoption

Program Development Workshop in China



Peers for Progress, in collaboration with Chinese Diabetes Society - Education and Management Group and Zhongda Hospital of Southeast University, held the first peer support workshop in Nanjing between November 16 and 17. This workshop trained 40 healthcare providers from close to 20 hospitals and community health centers in China to develop and start peer support programs. Building upon the strength of our global network, the PfP Grantee Project team in Hong Kong (JADE & PEARL), friends of Anhui CDC and Southeast University, along with the President of the Taiwanese Association of Diabetes Educators, shared their experience and models related to peer support. By emphasizing both knowledge and practice, the attendees were able to draft their initial plan for peer support programs and identify areas to start at the end of the workshop. Peers for Progress plans to continue working with our collaborators in China to provide training and consultation to these organizations and more.

Success of Peer Support in Diabetes Management References

1. Beckham S, Bradley S, Washburn A, Taumua T: Diabetes management: utilizing community health workers in a Hawaiian/Samoan population. *J Health Care Poor Underserved* 2008;19:416-427
2. Culica D, Walton JW, Harker K, Prezio EA: Effectiveness of a community health worker as sole diabetes educator: comparison of CoDE with similar culturally appropriate interventions. *J Health Care Poor Underserved* 2008;19:1076-1095
3. Dale J, Caramlau I, Sturt J, Friede T, Walker R: Telephone peer-delivered intervention for diabetes motivation and support: the telecare exploratory RCT. *Patient Educ Couns* 2009;75:91-98
4. Mayes PA, Silvers A, Prendergast JJ: New direction for enhancing quality in diabetes care: utilizing telecommunications and paraprofessional outreach workers backed by an expert medical team. *Telemed J E Health* 2010;16:358-363
5. McElmurry BJ, McCreary LL, Park CG, Ramos L, Martinez E, Parikh R, Kozik K, Fogelfeld L: Implementation, outcomes, and lessons learned from a collaborative primary health care program to improve diabetes care among urban Latino populations. *Health Promot Pract* 2009;10:293-302
6. McEwen MM, Pasvogel A, Gallegos G, Barrera L: Type 2 diabetes self-management social support intervention at the U.S.-Mexico border. *Public Health Nurs* 2010;27:310-319
7. Otero-Sabogal R, Arretz D, Siebold S, Hallen E, Lee R, Ketchel A, Li J, Newman J: Physician-community health worker partnering to support diabetes self-management in primary care. *Qual Prim Care* 2010;18:363-372
8. Ruggiero L, Moadsiri A, Butler P, Oros SM, Berbaum ML, Whitman S, Cintron D: Supporting diabetes self-care in underserved populations: a randomized pilot study using medical assistant coaches. *Diabetes Educ* 2010;36:127-131
9. Simmons D, Rush E, Crook N: Development and piloting of a community health worker-based intervention for the prevention of diabetes among New Zealand Maori in Te Wai o Rona: Diabetes Prevention Strategy. *Public Health Nutr* 2008;11:1318-1325
10. van der Wulp I, de Leeuw JR, Gorter KJ, Rutten GE: Effectiveness of peer-led self-management coaching for patients recently diagnosed with Type 2 diabetes mellitus in primary care: a randomized controlled trial. *Diabetic medicine : a journal of the British Diabetic Association* 2012;29:e390-397
11. Walton JW, Snead CA, Collinsworth AW, Schmidt KL: Reducing diabetes disparities through the implementation of a community health worker-led diabetes self-management education program. *Fam Community Health* 2012;35:161-171
12. Auslander W, Haire-Joshu D, Houston C, Rhee CW, Williams JH: A controlled evaluation of staging dietary patterns to reduce the risk of diabetes in African-American women. *Diabetes Care* 2002;25:809-814
13. Babamoto KS, Sey KA, Camilleri AJ, Karlan VJ, Catalasan J, Morisky DE: Improving diabetes care and health measures among hispanics using community health workers: results from a randomized controlled trial. *Health Educ Behav* 2009;36:113-126
14. Chen EH, Thom DH, Hessler DM, Phengrasamy L, Hammer H, Saba G, Bodenheimer T: Using the Teamlet Model to improve chronic care in an academic primary care practice. *Journal of general internal medicine* 2010;25 Suppl 4:S610-614
15. Greenhalgh T, Campbell-Richards D, Vijayaraghavan S, Collard A, Malik F, Griffin M, Morris J, Claydon A, Macfarlane F: New models of self-management education for minority ethnic groups: pilot randomized trial of a story-sharing intervention. *J Health Serv Res Policy* 2011;16:28-36
16. Hargraves JL, Ferguson WJ, Lemay CA, Pernice J: Community health workers assisting patients with diabetes in self-management. *J Ambul Care Manage* 2012;35:15-26
17. Heisler M, Vijan S, Makki F, Piette JD: Diabetes control with reciprocal peer support versus nurse care management: a randomized trial. *Annals of Internal Medicine* 2010;153:507-515
18. Sacco WP, Malone JI, Morrison AD, Friedman A, Wells K: Effect of a brief, regular telephone intervention by paraprofessionals for type 2 diabetes. *J Behav Med* 2009;32:349-359
19. Sullivan-Bolyai S, Grey M, Deatrick J, Gruppuso P, Giraitis P, Tamborlane W: Helping other mothers effectively work at raising young children with type 1 diabetes. *The Diabetes Educator* 2004;30:476-484
20. Smith SM, Paul G, Kelly A, Whitford DL, O'Shea E, O'Dowd T: Peer support for patients with type 2 diabetes: cluster randomised controlled trial. *Bmj* 2011;342:d715

Publications by Peers for Progress and Grantees

- Baumann, L.C. & Dang, T.T. (2012). Helping Patients with Chronic Conditions Overcome Barriers to Self-Care. *Nurse Pract.*, 37(3):32-8.
- Carpenter, D.M., Fisher, E.B., and Greene, S.B. (2012). Shortcomings in Public and Private Insurance Coverage of Diabetes Self-Management Education and Support. *Popul Health Manag.*, 15(3):144-8.
- Cherrington, A., Martin, M.Y., Hayes, M., Halanych, J.H., Wright, M.A., Appel, S.J., Andreae, S.J., and Safford, M. (2012). Intervention Mapping as a Guide for the Development of a Diabetes Peer Support Intervention in Rural Alabama. *Prev Chronic Dis.*, 9:E36.
- Fisher, E.B., Chan, J.C., Nan, H., Sartorius, N., and Oldenburg, B. (2012). Co-Occurrence of Diabetes and Depression: Conceptual Considerations for an Emerging Global Health Challenge. *J Affect Disord.*, 142 Suppl:S56-66.
- Gagliardino, J.J., Arrechea, V., Assad, D., Gagliardino, G.G., Gonzalez, L., et al. (2012). Non-Inferiority of Peer Education of People with Type 2 Diabetes in a Structured Environment. *Diabetes Metab Res Rev*, Nov 19.
- Heisler, M., Choi, H., Piette, J.D., Rosland, A., Langa, K.M., and Brown, S. (2012). Adults with Cardiovascular Disease Who Help Others: A Prospective Study of Health Outcomes. *J Behav Med.*, Apr 6.
- Margolius, D., Bodenheimer, T., Bennett, H., Wong, J., Ngo, V., Padilla, G., and Thom, D.H. (2012). Health Coaching to Improve Hypertension Treatment in a Low-Income, Minority Population. *Ann Fam Med.*, 10(3):199-205.
- O'Neil A., Hawkes, A.L., Atherton, J.J., Patrao, T.A., Sanderson, K., Wolfe R., Taylor, C.B., and Oldenburg, B. (2012). Telephone-Delivered, Health Coaching Improves Anxiety Outcomes After Myocardial Infarction: the 'ProActive Heart' Trial. *Eur J Prev Cardiol*, Sep 6.
- Riddell, M.A., Renwick, C., Wolfe, R., Colgan, S., Dunbar, J., Hagger, V., Absetz, P., and Oldenburg, B.F. (2012). Cluster Randomized Controlled Trial of a Peer Support Program for People with Diabetes: Study Protocol for the Australasian Peers for Progress Study. *BMC Public Health*, 12(1):843.
- Rotheram-Borus, M.J., Ingram, B.L., Swendeman, D., and Lee, A. (2012). Adoption of Self-Management Interventions for Prevention and Care. *Prim Care*, 39(4):649-60.
- Rotheram-Borus, M.J., Tomlinson, M., Gwegwe, M., Comulada, W.S., Kaufman, N., Keim, M. (2012).

Diabetes Buddies: Peer Support Through a Mobile Phone Buddy System. *Diabetes Educ.*, 38(3):357-65.

- Tang, T.S., Funnell, M.M., and Oh, M. (2012). Lasting Effects of a 2-Year Diabetes Self-Management Support Intervention: Outcomes at 1-Year Follow-Up. *Prev Chronic Dis.*, 9:E109.
- Tang, T.S., Nwankwo, R., Whiten, Y., and Oney, C. (2012). Training Peers to Deliver a Church-Based Diabetes Prevention Program. *Diabetes Educ.*, 38(4):519-25.
- Thorpe, C.T., Fahey, L.E., Johnson, H., Deshpande, M., Thorpe, J.M., and Fisher, E.B. (2012). Facilitating Health Coping in Patients With Diabetes: A Systematic Review. *Diabetes Educ.*, Oct 16.

Presentations by Peers for Progress

- Fisher, E. Potential Benefits and Translation of Peer Support into Practice: Lessons from Peers for Progress. Peking University Diabetes Forum, May, 2012, Beijing, China.
- Fisher, E. From Behavioral Change to System Change: Can We Change Patients' and Doctors' Behaviors? Asia Diabetes Foundation, Diabetes Preventing the Preventables Forum, May, 2012, Hanoi, Vietnam.
- Fisher, E. Diabetes Management and Peer Support in China and Globally. International Symposium on Diabetes Education & Management, Chinese Diabetes Society, August, 2012, Chengdu, China.
- Fisher, E. Prevention of Depression in Those With Diabetes. NIDDK International Conference on Diabetes and Depression. October, 2012, Herdon, VA, USA.
- Fisher, E. Peer Support as a Global and Regional Strategy for Diabetes Management. Invited Keynote at International Diabetes Federation Western Pacific Region Congress, November, 2012, Kyoto, Japan.